



SIZES

To fit bust measurement

Extra-Small/Small	28-34" [71-86.5 cm]
Medium	36-38" [91.5-96.5 cm]
Large	40-42" [101.5-106.5 cm]
Extra-Large	44-46" [112-117 cm]
2/3 X-Large	48-54" [122-137 cm]
4/5 X-Large	56-62" [142-157.5 cm]

Finished bust

Extra-Small/Small	40" [101.5 cm]
Medium	44" [112 cm]
Large	47" [119.5 cm]
Extra-Large	53" [134.5 cm]
2/3 X-Large	57" [144.5 cm]
4/5 X-Large	62" [157.5 cm]

GAUGE

19 sts and 25 rows = 4" [10 cm] in stocking st with larger needles.

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger size(s) the instructions will be written thus (.). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

PANEL PAT A (worked over 6 sts).

1st row: (RS). C4F. K2.

2nd row: P6.

3rd row: K2. C4B.

4th row: P6.

These 4 rows form Panel Pat A.

See chart on page 2.

PANEL PAT B (worked over 13 sts).

1st row: (RS). P3. T3B. K1. T3F. P3.

2nd and alt rows: Knit all knit sts and purl all purl sts as they appear.

3rd row: P2. T3B. K1. P1. K1. T3F. P2.

5th row: P1. T3B. (K1. P1) twice. K1. T3F. P1.

7th row: T3B. (K1. P1) 3 times. K1. T3F.

9th row: T3F. (P1. K1) 3 times. P1. T3B.

11th row: P1. T3F. (P1. K1) twice. P1. T3B. P1.

13th row: P2. T3F. P1. K1. P1. T3B. P2.

15th row: P3. T3F. P1. T3B. P3.

17th row: P4. C5F. P4.

18th row: As 2nd row.

These 18 rows form Panel Pat B.

See chart on page 2.

PANEL PAT C (worked over 34 sts).

1st row: (RS). P3. C4B. (P4. C4B) 3 times. P3.

2nd and alt rows: Knit all knit sts and purl all purl sts as they appear.

3rd row: P1. (T4B. T4F) 4 times. P1.

5th row: P1. K2. P4. (C4F. P4) 3 times. K2. P1.

7th row: P1. (T4F. T4B) 4 times. P1.

8th row: As 2nd row.

These 8 rows form Panel Pat C.

See chart on page 2.

MATERIALS


Patons® Classic Wool Worsted™ (3.5 oz/100 g; 210 yds/192 m)

Sizes	XS/S	M	L	XL	2/3XL	4/5XL	
Natural Mix (00229)	8	9	10	11	13	15	balls


Sizes U.S. 6 (4 mm) and U.S. 8 (5 mm) knitting needles **or size needed to obtain gauge.** Cable needle. 5 stitch holders.




Panel Pat A



Panel Pat B



Panel Pat C



Key

- = Knit on RS rows. Purl on WS rows.
- ▣ = Purl on RS rows. Knit on WS rows.

- = C4B
- = C4F
- = C5F
- = T3B
- = T3F
- = T4B
- = T4F

BACK

With smaller needles, cast on **111 (**115-121-129-141-147**) sts.

1st row: (RS). *K1tbl. P1. Rep from * to last st. K1tbl.

2nd row: *P1tbl. K1. Rep from * to last st. P1tbl.

Rep last 2 rows for twisted ribbing for 3" [7.5 cm], ending on a 2nd row and inc **23** (**29-33-39-41-45**) sts evenly across last row. **134** (**144-154-168-182-192**) sts.

Change to larger needles and proceed in pat as follows:

1st row: (RS). (P1. Work 1st row Panel Pat A) **0** (**1-0-1-0-1**) time. P4 (**2-2-2-4-2**). Tw2R. P2. (Work 1st row Panel Pat A. P2. Tw2R. P2) **2** (**2-3-3-4-4**) times. Work 1st row Panel Pat B. P2. Tw2R. P1. Work 1st row Panel Pat C. P1. Tw2R. P2. Work 1st row Panel Pat B. (P2. Tw2R. P2. Work 1st row Panel Pat A) **2** (**2-3-3-4-4**) times. P2. Tw2R. P4 (**2-2-2-4-2**). (Work 1st row Panel Pat A. P1) **0** (**1-0-1-0-1**) time.

2nd row: (K1. Work 2nd row Panel Pat A) **0** (**1-0-1-0-1**) time. K4 (**2-2-2-4-2**). P2. K2. (Work 2nd row Panel Pat A. K2. P2. K2) **2** (**2-3-3-4-4**) times. Work 2nd row Panel Pat B. K2. P2. K1. Work 2nd row Panel Pat C. K1. P2. K2. Work 2nd row Panel Pat B. (K2. P2. K2. Work 2nd row Panel Pat A) **2** (**2-3-3-4-4**) times. K2. P2. K4 (**2-2-2-4-2**). (Work 2nd row Panel Pat A. K1) **0** (**1-0-1-0-1**) time.

These 2 rows form pat. Panel pats are now in position.



Cont in established pat, until work from beg measures **17½** (**17½-17-17-16½-16½**)" [**44.5** (**44.5-43-43-42-42**) cm], ending on a WS row.

Shape raglans: Keeping cont of pat, cast off **2** (**2-3-3-4-6**) sts beg next 2 rows. **130** (**140-148-162-174-180**) sts.

1st row: (RS). K1. ssk. Pat to last 3 sts. K2tog. K1.

2nd row: P1. P2tog. Pat to last 3 sts. P2togtbl. P1.**

Rep last 2 rows **12** (**16-14-27-29-30**) times more. **78** (**72-88-50-54-56**) sts.

Sizes XS/S, M, L, XL and 4/5XL only:

1st row: (RS). K1. ssk. Pat to last 3 sts. K2tog. K1.

2nd row: P2. Pat to last 2 sts. P2. **76** (**70-86-48-54**) sts.

Sizes XS/S, M and L only: 1st row: (RS). K1. ssk. Pat to last 3 sts. K2tog. K1.

2nd row: P1. P2tog. Pat to last 3 sts. P2togtbl. P1.

3rd row: As 1st row.

4th row: P2. Pat to last 2 sts. P2.

Rep last 4 rows **4** (**3-5**) times more, then rep 3rd and 4th rows once. **44** (**44-48**) sts.

All sizes: Leave rem **44** (**44-48-48-54-54**) sts on a st holder.

FRONT

Work from ** to ** as given for Back.

Rep last 2 rows **12** (**16-14-19-20-21**) times more. **78** (**72-88-82-90-92**) sts.

Sizes XS/S and L only: 1st row: (RS). K1. ssk. Pat to last 3 sts. K2tog. K1.

2nd row: P2. Pat to last 2 sts. P2.

3rd row: As 1st row.

4th row: P1. P2tog. Pat to last 3 sts. P2togtbl. P1.

5th row: As 3rd row.

6th row: As 2nd row.

Rep 3rd to 6th rows **0** (**1**) time more. **70** (**74**) sts.

Size M only: 1st row: (RS). K1. ssk. Pat to last 3 sts. K2tog. K1. 70 sts.

2nd row: P2. Pat to last 2 sts. P2.

Sizes XS/S, M and L only: Shape neck:

1st row: (RS). K1. ssk. Pat across 18 sts. K2tog (neck edge). **Turn.** Leave rem sts on a spare needle.

2nd row: Pat to last 3 sts. P2togtbl. P1.

3rd row: K1. ssk. Pat to last 2 sts. K2tog.

4th row: Pat to last 2 sts. P2.

5th row: As 3rd row.

Rep 2nd to 5th rows twice more. 6 sts.

Next row: (WS). Pat to last 3 sts. P2togtbl. P1. 5 sts.

Next row: K1. K3tog. K1. 3 sts.

Next row: P3.

Next row: K1. ssk. 2 sts.

Next row: P2.

Next row: ssk. Fasten off.

With RS facing, slip next **24** (**24-28**) sts onto a st holder. Join yarn to rem sts and proceed as follows:

1st row: ssk. Pat to last 3 sts. K2tog. K1.

2nd row: P1. P2tog. Pat to end of row.

3rd row: ssk. Pat to last 3 sts. K2tog. K1.

4th row: P2. Pat to end of row.

5th row: As 3rd row.

Rep 2nd to 5th rows twice more. 6 sts.

Next row: (WS). P1. P2tog. Pat to end of row. 5 sts.

Next row: K1. K3tog. K1. 3 sts.

Next row: P3.

Next row: K2tog. K1. 2 sts.

Next row: P2.

Next row: K2tog. Fasten off.

Sizes XL, 2/3XL and 4/5XL only: Shape neck:

1st row: (RS). K1. ssk. Pat across (**22-24-25**) sts. K2tog (neck edge). **Turn.** Leave rem sts on a spare needle.

2nd row: Pat to last 3 sts. P2togtbl. P1.

3rd row: K1. ssk. Pat to last 2 sts. K2tog.

Rep last 2 rows (**5-6-6**) more. 7 sts.

Next row: (WS). Pat to last 3 sts. P2togtbl. P1. 6 sts.

Sizes XL and 4/5XL only: Next row: K1. ssk. K1. K2tog. 4 sts.

Next row: P1. P2togtbl. P1. 3 sts.

Next row: K1. ssk. 2 sts.

Next row: P2.

Next row: ssk. Fasten off.

Size 2/3XL only:

Next row: K1. ssk. K3. 5 sts.

Next row: P2. P2togtbl. P1. 4 sts.

Next row: K1. ssk. K1. 3 sts.

Next row: P2togtbl. P1. 2 sts.

Next row: ssk. Fasten off.

Sizes XL, 2/3XL and 4/5XL only: With RS facing, slip next (**28-30-32**) sts onto a st holder. Join yarn to rem sts and proceed as follows:

1st row: ssk. Pat to last 3 sts. K2tog. K1.

2nd row: P1. P2tog. Pat to end of row.

3rd row: ssk. Pat to last 3 sts. K2tog. K1.

Rep last 2 rows (**5-6-6**) more. 7 sts.

Next row: (WS). P1. P2tog. Pat to end of row. 6 sts.

Sizes XL and 4/5XL only: Next row: ssk.

K1. K2tog. K1. 4 sts.

Next row: P1. P2tog. P1. 3 sts.

Next row: K2tog. K1. 2 sts.

Next row: P2.

Next row: K2tog. Fasten off.

Size 2/3XL only: Next row: K3. K2tog. K1. 5 sts.

Next row: P1. P2tog. P2. 4 sts.

Next row: K1. K2tog. K1. 3 sts.

Next row: P2tog. P1. 2 sts.

Next row: K2tog. Fasten off.

**SLEEVES**

With smaller needles, cast on **41** (**41-43-47-47-47**) sts.

Work 2" [5 cm] in twisted ribbing as given for Back inc **8** (**8-6-18-18-18**) sts evenly across last row. **49** (**49-49-65-65-65**) sts.

Change to larger needles and proceed in pat as follows:

1st row: (RS). (P2. Work 1st row Panel Pat A) **0** (**0-0-1-1-1**) time. P2. Tw2R. P2. Work 1st row Panel Pat A. P2. Tw2R. P2. Work 1st row Panel Pat B. P2. Tw2R. P2. Work 1st row Panel Pat A. P2. Tw2R. P2. (Work 1st row Panel Pat A. P2) **0** (**0-0-1-1-1**) time.
2nd row: (K2. Work 2nd row Panel Pat A) **0** (**0-0-1-1-1**) time. K2. P2. K2. Work 2nd row Panel Pat A. K2. P2. K2. Work 2nd row Panel Pat B. K2. P2. K2. Work 2nd row Panel Pat A. K2. P2. K2. (Work 2nd row Panel Pat A. K2) **0** (**0-0-1-1-1**) time.

These 2 rows form pat. Panel pats are now in position.

Cont in established pat, inc 1 st each end of needle on next and following alt rows until there are **55** (**59-63-71-71-81**) sts, then on following 4th rows until there are **95** (**99-103-107-107-115**) sts, taking inc sts into repeats of (Panel Pat A. P2. Tw2R. P2).

Cont even in pat until work from beg measures **18** (**18-17½-17-17-16½**)" [**45.5** (**45.5-44.5-43-43-42**) cm], ending on a WS row.

Shape raglans: Keeping cont of pat, cast off **2** (**2-3-3-4-6**) sts beg next 2 rows. **91** (**95-97-101-99-103**) sts.

Sizes XS/S and M only: 1st row: (RS). K1. ssk. Pat to last 3 sts. K2tog. K1.

2nd row: P1. P2tog. Pat to last 3 sts. P2togtbl. P1.

Rep last 2 rows **4** (**2**) times more. **71** (**83**) sts.

Next row: K1. ssk. Pat to last 3 sts. K2tog. K1.

Next row: P2. Pat to last 2 sts. P2. **69** (**81**) sts.

All sizes: 1st row: (RS). K1. ssk. Pat to last 3 sts. K2tog. K1.

2nd row: P1. P2tog. Pat to last 3 sts. P2togtbl. P1.

3rd row: As 1st row.

4th row: P2. Pat to last 2 sts. P2.

Rep last 4 rows **8** (**10-11-13-11-11**) times more. **15** (**15-25-17-27-31**) sts.

1st row: (RS). K1. ssk. Pat to last 3 sts. K2tog. K1.

2nd row: P2. Pat to last 2 sts. P2.

Rep last 2 rows **0** (**0-5-0-5-7**) times more.

Leave rem **13** (**13-13-15-15-15**) sts on a st holder.

FINISHING

Pin pieces to measurements. Cover with a damp cloth, leaving cloth to dry.

Sew raglan seams leaving left back raglan seam open.

Neckband: With RS facing and smaller needles, K**13** (**13-13-15-15-15**) from left sleeve st holder, dec 2 sts evenly across. Pick up and knit **14** (**14-14-14-14-16**) sts down left front neck edge. K**24** (**24-28-28-30-32**) from Front st holder, dec **4** (**4-4-4-6-6**) sts evenly across. Pick up and knit **14** (**14-14-14-14-16**) sts up right front neck edge. K**13** (**13-13-15-15-15**) from Right Sleeve st holder, dec 2 sts evenly across. K**44** (**44-48-48-54-54**) from Back st holder, dec **5** (**5-5-5-7-7**) sts evenly across. **109** (**109-117-121-125-131**) sts.

ABBREVIATIONS: www.yarnspirations.com/abbreviations

Alt = Alternate(ing)

Beg = Beginning

C4B = Slip next 2 stitches onto cable needle and leave at back of work. K2, then K2 from cable needle.

C4F = Slip next 2 stitches onto cable needle and leave at front of work. K2, then K2 from cable needle.

C5F = Slip next 2 stitches onto cable needle and leave at front of work. K2. P1, then K2 from cable needle.

Cont = Continue(ity)

Dec = Decrease(ing)

Inc = Increase(ing)

K = Knit

K1tbl = Knit next stitch through back of loop
K2(3)tog = Knit next 2(3) stitches together

P = Purl

P1tbl = Purl next stitch through back of loop

P2tog = Purl next 2 stitches together

P2togtbl = Purl next 2 stitches together through back loops

Pat = Pattern

Rem = Remaining

Rep = Repeat

RS = Right side

Ssk = Slip next 2 stitches knitwise one at a time.

Pass them back onto left-hand needle, then knit through back loops together.

St(s) = Stitch(es)

T3B = Slip next stitch onto cable needle and leave at back of work. K2, then P1 from cable needle.

Beg and ending on a 2nd row, work 3½" [9 cm] in twisted ribbing as given for Back. Cast off loosely in ribbing.

Sew left back raglan and neckband seam. Fold neckband in half to WS and sew in position.

Sew side and sleeve seams.

T3F = Slip next 2 stitches onto cable needle and leave at front of work. P1, then K2 from cable needle.

T4B = Slip next 2 stitches onto cable needle and leave at back of work. K2, then P2 from cable needle.

T4F = Slip next 2 stitches onto cable needle and leave at front of work. P2, then K2 from cable needle.

Tw2R = Knit into front of 2nd stitch on needle, then knit into front of first stitch and slip both stitches off needle together

WS = Wrong side

